

=====

Sequence Listing could not be accepted due to errors.

See attached Validation Report.

If you need help call the Patent Electronic Business Center at (866) 217-9197 (toll free).

Reviewer: Anne Corrigan

Timestamp: Mon Jun 25 15:28:53 EDT 2007

=====

Reviewer Comments:

<210> 10

<211> 12

<212> PRT

<213> Homo sapiens

<220>

<221> MISC_FEATURE

<222> (1)..(12)

<223> hnRNP B1 is defined as a human hnRNP core protein.

Correspond to amino acids 3 - 14 of hnRNP B2.

<400> 10

Lys Thr Leu Glu Thr Val Pro Leu Glu Arg Lys Lys

1 5 10

Although the <160> response is "4," 10 sequences are shown in the submitted file. See above. Also, please move the second sentence of the <223> response (begins with "Correspond") to the second line of the <223> response. Per 1.823 of the Sequence Rules, the maximum number of characters per line is 72 (includes white spaces).

<210> 1

<211> 1689

<212> DNA

<213> chicken

Please give the Genus species for the "<213> chicken" response above.

Same error in subsequent sequences.

<210> 8
<211> 31
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(31)
<223> hnRNP A1 is defined as a human hnRNP core protein.

<220>
<221> MISC_FEATURE
<222> (1)..(6)
<223> Correspond to amino acids 16 - 21 of hnRNP A1.

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa corresponds to amino acids 22 - 54 of hnRNP A1.

<220>
<221> MISC_FEATURE
<222> (8)..(15)
<223> Correspond to amino acids 55 - 62 of hnRNP A1.

<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> Xaa corresponds to amino acids 63 - 106 of hnRNP A1.

<220>
<221> MISC_FEATURE
<222> (17)..(22)
<223> Correspond to amino acids 107 - 112 of hnRNP A1.

<220>
<221> MISC_FEATURE
<222> (23)..(23)

<223> Xaa corresponds to amino acids 113 - 145 of hnRNP A1.

The explanations for the Xaa's at locations 17,16,23 are invalid. An Xaa can only represent a single amino acid: please show the maximum number of positions, and explain that some may be missing. Also, please explain "hnRNP A1." Same error in Sequence 9.

Application No: 09849967 Version No: 5.0

Input Set:

Output Set:

Started: 2007-06-22 19:34:48.713
Finished: 2007-06-22 19:34:48.969
Elapsed: 0 hr(s) 0 min(s) 0 sec(s) 256 ms
Total Warnings: 0
Total Errors: 1
No. of SeqIDs Defined: 4
Actual SeqID Count: 10

Error code	Error Description
E 252	Calc# of Seq. differs from actual; 4 seqIds defined; count=10

SEQUENCE LISTING

<110> New York Medical College
<120> Splice Choice Antagonists as Therapeutic Agents
<130> 51230-00601
<140> 09849967
<141> 2001-05-08
<150> 09/849,967
<151> 2001-05-08
<160> 4
<170> PatentIn version 3.3
<210> 1
<211> 1689
<212> DNA
<213> chicken

<220>
<221> misc_feature
<222> (1)..(1689)
<223> Full length cDNA sequence of chicken hnRNP A1.

<220>
<221> misc_feature
<222> (141)..(1276)
<223> Open reading frame of cDNA sequence from chicken hnRNP A1.

<400> 1
gcgtctccac ccctcagcgg gcggcggtga gtgcgcagg ccagcgccgg cgtgggaccg 60
agcgggcgtg aaggcgcgag ctgaacgctg gcacggttc ctagatctaa aagaaaggcc 120
gagtttagagt acccttccaa aatggctgct attaaggaag agagagaggt ggaagattac 180
aagagaaaaaa ggaagacgat cagcacaggc catgaggctt aggagccaga gcagttgaga 240
aagctgttca ttggaggtct gagcttcgag acgacggatg atagctttag agagcacttt 300
gaaaaatggg gcacactcac ggactgtgtg gtgatgagag acccacaaac aaaacgttcc 360
agaggctttg gctttgttac ttactcttgc gtggaaagagg tggatgcggc catgagcgct 420
cgaccacata aggtggatgg acgtgtggtt gaaccaaaga gagcagttc aagggaggat 480
tctgtaaagc ctggggcgca tctcacagta aagaaaatat ttgttggtgg cattaaagaa 540
gatacagaag aatataattt aagggggtac tttgaaacat atggcaagat cgaaacgata 600
gaagtcatgg aagacagaca aagtggaaag aaaagaggct tcgctttgt aactttgtat 660

gatcacgata cagttgataa aattgttgtt cagaataacc atactataaa tggtcataac	720
tgcgaaagata aaaaagcact ctc当地acaa gagatgcaga ctgccagctc tcagagaggt	780
cgtgggggtg gttcaggcaa cttcatgggt cgtggaaatt ttggaggtgg tggagggaaac	840
tttggccgag gagaaactt tggtaagaaga ggaggctatg ggggtggtgg tggcggtgg	900
gggagcagag gaagcttgg ggggtggat gatacaacg gatttggta tggtgcaac	960
tatggaggtg gtcctggcta tggcagcaga ggggttatg gtggtggtgg aggaccagga	1020
tatggaaacc caggtggtgg atatggaggt ggaggaggag gatatggtgg ctacaatgaa	1080
ggaggcaatt ttggaggtgg taattatgga ggcagtggaa actacaatga ctggtaac	1140
tacagtggac agcagcagtc caattacggt cccatgaaag gtggtggcag ttttgggt	1200
agaagttcag gcagtccta tggtggtgg tatggatctg gaagtggaaag tggggctat	1260
ggtggtagaa gattctaaa atgctaccag aaaaaggct acagttctt gcaggagaga	1320
gagcgaggag ttgtcaggaa agctgcagtt tacttgaga cagtcgtccc aaatgcatta	1380
gaggaactgt aaaatctgcc acagaaggaa cgatgatcca tagtcgaaa agttactgca	1440
gcttaaacag gaaacccttc ttgttcagga ctgtcatagc cacagttgc aaaaagagca	1500
gctattggtt aatgcaatgt agtgcgtta gatgtacatc ctgaggtctt tatctgtgt	1560
agctttgtct ttcttttc ttttattt cccattacat caggtatatt gccctgtaaa	1620
ttgtggtagt ggtacaagga ataaacaaat taaggaattt ttggctttc aaaaaaaaaa	1680
aaaaaaaaaa	1689

```

<210> 2
<211> 378
<212> PRT
<213> Chicken

```

```

<220>
<221> PEPTIDE
<222> (1)..(378)
<223> Amino acid sequence of chicken hnRNP A1

<400> 2

```

Met Ala Ala Ile Lys Glu Glu Arg Glu Val Glu Asp Tyr Lys Arg Lys			
1	5	10	15

Arg Lys Thr Ile Ser Thr Gly His Glu Pro Lys Glu Pro Glu Gln Leu		
20	25	30

Arg Lys Leu Phe Ile Gly Gly Leu Ser Phe Glu Thr Thr Asp Asp Ser
35 40 45

Leu Arg Glu Gln Phe Glu Lys Trp Gly Thr Leu Thr Asp Cys Val Val
50 55 60

Met Arg Asp Pro Gln Thr Lys Arg Ser Arg Gly Phe Gly Phe Val Thr
65 70 75 80

Tyr Ala Thr Val Glu Glu Val Asp Ala Ala Met Ser Ala Arg Pro His
85 90 95

Lys Val Asp Gly Arg Val Val Glu Pro Lys Arg Ala Val Ser Arg Glu
100 105 110

Asp Ser Val Lys Pro Gly Ala His Leu Thr Val Lys Lys Ile Phe Val
115 120 125

Gly Gly Ile Lys Glu Asp Thr Glu Glu Tyr Asn Leu Arg Gly Tyr Phe
130 135 140

Glu Thr Tyr Gly Lys Ile Glu Thr Ile Glu Val Met Glu Asp Arg Gln
145 150 155 160

Ser Gly Lys Lys Arg Gly Phe Ala Phe Val Thr Phe Asp Asp His Asp
165 170 175

Thr Val Asp Lys Ile Val Val Gln Lys Tyr His Thr Ile Asn Gly His
180 185 190

Asn Cys Glu Asp Lys Lys Ala Leu Ser Lys Gln Glu Met Gln Thr Ala
195 200 205

Ser Ser Gln Arg Gly Arg Gly Gly Ser Gly Asn Phe Met Gly Arg
210 215 220

Gly Asn Phe Gly Gly Gly Asn Phe Gly Arg Gly Gly Asn Phe
225 230 235 240

Gly Gly Arg Gly Gly Tyr Gly Gly Gly Gly Gly Gly Ser Arg
245 250 255

Gly Ser Phe Gly Gly Asp Gly Tyr Asn Gly Phe Gly Asp Gly Gly
260 265 270

Asn Tyr Gly Gly Pro Gly Tyr Gly Ser Arg Gly Gly Tyr Gly Gly
275 280 285

Gly Gly Gly Pro Gly Tyr Gly Asn Pro Gly Gly Tyr Gly Gly Gly
290 295 300

Gly Gly Gly Tyr Gly Gly Tyr Asn Glu Gly Gly Asn Phe Gly Gly
305 310 315 320

Asn Tyr Gly Gly Ser Gly Asn Tyr Asn Asp Phe Gly Asn Tyr Ser Gly
325 330 335

Gln Gln Gln Ser Asn Tyr Gly Pro Met Lys Gly Gly Ser Phe Gly
340 345 350

Gly Arg Ser Ser Gly Ser Pro Tyr Gly Gly Tyr Gly Ser Gly Ser
355 360 365

Gly Ser Gly Gly Tyr Gly Gly Arg Arg Phe
370 375

<210> 3
<211> 320
<212> PRT
<213> Homo sapiens

<220>
<221> PEPTIDE
<222> (1)..(320)
<223> Amino acid sequence of human hnRNP A1

<400> 3

Met Ser Lys Ser Glu Ser Pro Lys Glu Pro Glu Gln Leu Arg Lys Leu
1 5 10 15

Phe Ile Gly Gly Leu Ser Phe Glu Thr Thr Asp Glu Ser Leu Arg Ser
20 25 30

His Phe Glu Gln Trp Gly Thr Leu Thr Asp Cys Val Val Met Arg Asp
35 40 45

Pro Asn Thr Lys Arg Ser Arg Gly Phe Gly Phe Val Thr Tyr Ala Thr
50 55 60

Val Glu Glu Val Asp Ala Ala Met Asn Ala Arg Pro His Lys Val Asp
65 70 75 80

Gly Arg Val Val Glu Pro Lys Arg Ala Val Ser Arg Glu Asp Ser Gln
85 90 95

Arg Pro Gly Ala His Leu Thr Val Lys Lys Ile Phe Val Gly Gly Ile
100 105 110

Lys Glu Asp Thr Glu Glu His His Leu Arg Asp Tyr Phe Glu Gln Tyr
115 120 125

Gly Lys Ile Glu Val Ile Glu Ile Met Thr Asp Arg Gly Ser Gly Lys
130 135 140

Lys Arg Gly Phe Ala Phe Val Thr Phe Asp Asp His Asp Ser Val Asp
145 150 155 160

Lys Ile Val Ile Gln Lys Tyr His Thr Val Asn Gly His Asn Cys Glu
165 170 175

Val Arg Lys Ala Leu Ser Lys Gln Glu Met Ala Ser Ala Ser Ser Ser
180 185 190

Gln Arg Gly Arg Ser Gly Ser Gly Asn Phe Gly Gly Arg Gly Gly
195 200 205

Gly Phe Gly Gly Asn Asp Asn Phe Gly Arg Gly Gly Asn Phe Ser Gly
210 215 220

Arg Gly Gly Phe Gly Gly Ser Arg Gly Gly Gly Tyr Gly Gly Ser
225 230 235 240

Gly Asp Gly Tyr Asn Gly Phe Gly Asn Asp Gly Ser Asn Phe Gly Gly
245 250 255

Gly Gly Ser Tyr Asn Asp Phe Gly Asn Tyr Asn Asn Gln Ser Ser Asn
260 265 270

Phe Gly Pro Met Lys Gly Gly Asn Phe Gly Gly Arg Ser Ser Gly Pro

275

280

285

Tyr Gly Gly Gly Gln Tyr Phe Ala Lys Pro Arg Asn Gln Gly Gly
290 295 300

Tyr Gly Gly Ser Ser Ser Ser Ser Tyr Gly Ser Gly Arg Arg Phe
305 310 315 320

<210> 4
<211> 1136
<212> DNA
<213> Chicken

<220>
<221> misc_feature
<222> (1)..(1136)
<223> Open reading frame of cDNA for chicken hnRNP A1

<400> 4
aatggctgct attaaggaag agagagaggt ggaagattac aagagaaaaa ggaagacgat 60
cagcacaggc catgagccta aggagccaga gcagttgaga aagctgttca ttggaggtct 120
gagcttcgag acgacggatg atagctttag agagcacttt gaaaaatggg gcacactcac 180
ggactgtgtg gtgatgagag acccacaaac aaaacgttcc agaggcttg gctttgttac 240
ttactcttgc gtggaagagg tggatgcggc catgagcgct cgaccacata aggtggatgg 300
acgtgtggtt gaaccaaaga gagcagtttc aaggaggat tctgtaaagc ctggggcgca 360
tctcacagta aagaaaatat ttgttggtgg cattaaagaa gatacagaag aatataattt 420
aagggggtac tttgaaacat atggcaagat cgaaacgata gaagtcatgg aagacagaca 480
aagtggaaag aaaagaggct tcgctttgt aacttttgat gatcacgata cagttgataa 540
aattgttggtt cagaaataacc atactataaa tggtcataac tgcgaagata aaaaagcact 600
ctcaaaaacaa gagatgcaga ctgccagctc tcagagaggt cgtgggggtg gttcaggcaa 660
cttcatgggt cgtggaaatt ttggaggtgg tggagggaaac tttggccgag gaggaaactt 720
tggtggaaaga ggaggctatg ggggtggtgg tggcggtgg gggagcagag gaagcttgg 780
gggtgggtat ggatacaacg gatttggtga tggtgcaac tatggaggtg gtccctggcta 840
tggcagcaga gggggttatg gtgggtggtgg aggaccagga tatggaaacc caggtggtgg 900
atatggaggt ggaggaggag gatatggtgg ctacaatgaa ggaggcaatt ttggaggtgg 960
taattatgga ggcagtggaa actacaatga cttggtaac tacagtggac agcagcagtc 1020

caattacggt cccatgaaag gtggtggcag ttttggtggt agaagttcag gcagtccta 1080

tggtggtggt tatggatctg gaagtggaaag tgggggctat ggtggtagaa gattct 1136

<210> 5

<211> 10

<212> RNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)..(10)

<223> Exonic splice silencer (ESS) nucleic acid sequence for hnRNP A1

<400> 5

uagggcaggc

10

<210> 6

<211> 10

<212> RNA

<213> Chicken

<220>

<221> misc_feature

<222> (1)..(10)

<223> Exonic splice silencer (ESS) nucleic acid sequence for hnRNP A1

<400> 6

uagggagggc

10

<210> 7

<211> 8

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)..(1)

<223> Xaa represents a Lysine or an Arginine

<220>

<221> SITE

<222> (3)..(3)

<223> Xaa represents a phenylalanine or tyrosine

<220>

<221> SITE

<222> (4)..(4)

<223> Xaa represents a glycine or alanine

<220>
<221> misc_feature
<222> (7)..(7)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> SITE
<222> (8)..(8)
<223> Xaa represents a phenylalanine or tyrosine

<400> 7

Xaa Gly Xaa Xaa Pro Val Xaa Xaa
1 5

<210> 8
<211> 31
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(31)
<223> hnRNP A1 is defined as a human hnRNP core protein.

<220>
<221> MISC_FEATURE
<222> (1)..(6)
<223> Correspond to amino acids 16 - 21 of hnRNP A1.

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa corresponds to amino acids 22 - 54 of hnRNP A1.

<220>
<221> MISC_FEATURE
<222> (8)..(15)
<223> Correspond to amino acids 55 - 62 of hnRNP A1.

<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> Xaa corresponds to amino acids 63 - 106 of hnRNP A1.

<220>
<221> MISC_FEATURE
<222> (17)..(22)
<223> Correspond to amino acids 107 - 112 of hnRNP A1.

<220>
<221> MISC_FEATURE
<222> (23)..(23)
<223> Xaa corresponds to amino acids 113 - 145 of hnRNP A1.

<220>
<221> MISC_FEATURE
<222> (24)..(31)
<223> Correspond to amino acids 146 - 153 of hnRNP A1.

<400> 8

Leu Phe Ile Gly Gly Leu Xaa Arg Gly Phe Gly Phe Val Thr Tyr Xaa
1 5 10 15

Ile Phe Val Gly Gly Ile Xaa Arg Gly Phe Ala Phe Val Thr Phe
20 25 30

<210> 9
<211> 31
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(31)
<223> hnRNP A2 is defined as a human hnRNP core protein.

<220>
<221> MISC_FEATURE
<222> (1)..(6)
<223> Correspond to amino acids 11 - 16 of hnRNP A2.

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa corresponds to amino acids 17 - 49 of hnRNP A2.

<220>
<221> MISC_FEATURE
<222> (8)..(15)
<223> Correspond to amino acids 50 -57 of hnRNP A2.

<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> Xaa corresponds to amino acids 58 - 101 of hnRNP A2.

<220>
<221> MISC_FEATURE
<222> (17)..(22)
<223> Correspond to amino acids 102 -107 of hnRNP A2.

<220>
<221> MISC_FEATURE
<222> (23)..(23)
<223> Xaa corresponds to amino acids 108 - 140 of hnRNP A2.

<220>
<221> MISC_FEATURE
<222> (24)..(31)
<223> Correspond to amino acids 141 - 148 of hnRNP A2.

<400> 9

Leu Phe Ile Gly Gly Leu Xaa Arg Gly Phe Gly Phe Val Thr Phe Xaa
1 5 10 15

Leu Phe Val Gly Gly Ile Xaa Arg Gly Phe Gly Phe Val Thr Phe
20 25 30

<210> 10
<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(12)
<223> hnRNP B1 is defined as a human hnRNP core protein.

Correspond to amino acids 3 - 14 of hnRNP B2.

<400> 10

Lys Thr Leu Glu Thr Val Pro Leu Glu Arg Lys Lys
1 5 10